

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	("5586328" or "6199063" or "5926819" or "6311216").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:11
L2	1	1 and PL/SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:18
L3	0	1 and graph	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:12
L4	87	(graph or DAG or (dependency adj graph)) and PL/SQL and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:14
L5	79	4 and (query or (select near6 (statement or command or SQL or clause))) and (code or (source adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:17
L6	13	5 and (graph or DAG or (dependency adj graph)) same (code or (source adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:17
L7	5	5 and (graph or DAG or (dependency adj graph)) same (query or (select near6 (statement or command or SQL or clause))) same (code or (source adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:17
L8	267	(graph or DAG or (dependency adj graph)) same (query or (select near6 (statement or command or SQL or clause))) same (code or (source adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:21
L9	6	8 and PL/SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:23

## EAST Search History

L10	274	(graph or DAG or (dependency adj graph)) same (query or (SQL adj6 (command or statement or clause)) or (select adj6 (statement or command or SQL or clause))) same (code or (source adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:33
L11	7	10 and PL/SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:42
L12	31	10 and debug\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:45
L13	65	10 and recursive\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:25
L14	3304	(graph or DAG or (dependency adj graph)) and (query or (SQL adj6 (command or statement or clause)) or (select adj6 (statement or command or SQL or clause))) and (code or (source adj code)) and recursive\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:38
L15	309	(DAG or (dependency adj graph)) and ((SQL adj6 (command or statement or clause)) or (select adj6 (statement or command or SQL or clause))) and (code or (source adj code)) and recursive\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:36
L16	62	15 and (PL/SQL or debug\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:35
L17	7	16 and ("707"/\$.ccls. or "717"/\$.ccls)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:36
L18	991	14 and ("707"/\$.ccls. or "717"/\$.ccls)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:36

## EAST Search History

L19	77	15 and ("707"/\$.ccls. or "717"/\$.ccls)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:40
L20	251	18 and ((SQL adj6 (command or statement or clause)) or (select adj6 (statement or command or SQL or clause))) same ((data adj (base or source)) or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:40
L21	3304	(graph or DAG or ((directed or dependency) adj graph)) and (query or (SQL adj6 (command or statement or clause)) or (select adj6 (statement or command or SQL or clause))) and (code or (source adj code)) and recursive\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:39
L22	2946	21 and ((data adj (base or source)) or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:39
L23	954	22 and ("707"/\$.ccls. or "717"/\$.ccls)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:40
L24	251	23 and ((SQL adj6 (command or statement or clause)) or (select adj6 (statement or command or SQL or clause))) same ((data adj (base or source)) or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:40
L25	21	24 and PL/SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:42
L26	137	24 and (debug\$6 or array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:45
L27	29	24 and (debug\$6 and array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:45

## EAST Search History

L28	38	24 and ((debug\$6 or PL/SQL) and array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:46
-----	----	-----------------------------------------	---------------------------------------------------------	----	----	------------------

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	("5586328" or "6199063" or "5926819" or "6311216").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:17
L2	1	1 and PL/SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:18
L3	0	1 and graph	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:12
L4	87	(graph or DAG or (dependency adj graph)) and PL/SQL and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:14
L5	79	4 and (query or (select near6 (statement or command or SQL or clause))) and (code or (source adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:17
L6	13	5 and (graph or DAG or (dependency adj graph)) same (code or (source adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:17
L7	5	5 and (graph or DAG or (dependency adj graph)) same (query or (select near6 (statement or command or SQL or clause))) same (code or (source adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:17
L8	267	(graph or DAG or (dependency adj graph)) same (query or (select near6 (statement or command or SQL or clause))) same (code or (source adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:21
L9	6	8 and PL/SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:23

## EAST Search History

L10	274	(graph or DAG or (dependency adj graph)) same (query or (SQL adj6 (command or statement or clause)) or (select adj6 (statement or command or SQL or clause))) same (code or (source adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:33
L11	7	10 and PL/SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:42
L12	31	10 and debug\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:45
L13	65	10 and recursive\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:25
L14	3304	(graph or DAG or (dependency adj graph)) and (query or (SQL adj6 (command or statement or clause)) or (select adj6 (statement or command or SQL or clause))) and (code or (source adj code)) and recursive\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:38
L15	309	(DAG or (dependency adj graph)) and ((SQL adj6 (command or statement or clause)) or (select adj6 (statement or command or SQL or clause))) and (code or (source adj code)) and recursive\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:36
L16	62	15 and (PL/SQL or debug\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:35
L17	7	16 and ("707"/\$.ccls. or "717"/\$.ccls)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:36
L18	991	14 and ("707"/\$.ccls. or "717"/\$.ccls)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:36

## EAST Search History

L19	77	15 and ("707"/\$.ccls. or "717"/\$.ccls)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:40
L20	251	18 and ((SQL adj6 (command or statement or clause)) or (select adj6 (statement or command or SQL or clause))) same ((data adj (base or source)) or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:40
L21	3304	(graph or DAG or ((directed or dependency) adj graph)) and (query or (SQL adj6 (command or statement or clause)) or (select adj6 (statement or command or SQL or clause))) and (code or (source adj code)) and recursive\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:39
L22	2946	21 and ((data adj (base or source)) or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:39
L23	954	22 and ("707"/\$.ccls. or "717"/\$.ccls)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:05
L24	251	23 and ((SQL adj6 (command or statement or clause)) or (select adj6 (statement or command or SQL or clause))) same ((data adj (base or source)) or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:08
L25	21	24 and PL/SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:42
L26	137	24 and (debug\$6 or array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:45
L27	29	24 and (debug\$6 and array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:45

## EAST Search History

L28	38	24 and ((debug\$6 or PL/SQL) and array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:53
L29	1	1 and (PL/SQL and array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 06:54
L30	0	1 and (PL/SQL and array) and ((directed or dependency) adj2 graph)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:06
L31	25	(PL/SQL and array) and ((directed or dependency) adj2 graph)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:04
L32	16	31 and ("707"/\$.ccls. or "717"/\$.ccls)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:07
L33	0	1 and (PL/SQL and array) and (graph or ((directed or dependency) adj2 graph))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:15
L34	0	1 and (PL/SQL) and (graph or ((directed or dependency) adj2 graph))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:06
L35	111154	( array) and (graph or ((directed or dependency) adj2 graph))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:07
L36	2396	( array) and (((directed or dependency) adj2 graph))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:07
L37	526	36 and ("707"/\$.ccls. or "717"/\$.ccls)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:07



## EAST Search History

L38	112	37 and ((SQL adj6 (command or statement or clause)) or (select adj6 (statement or command or SQL or clause))) same ((data adj (base or source)) or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:07
L39	112	38 and ((SQL adj6 (command or statement or clause)) or (select adj6 (statement or command or SQL or clause))) same ((data adj (base or source)) or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:14
L40	73	39 and recursive\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:09
L41	74	39 and recurs\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:10
L42	7	41 and PL/SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:10
L43	16	39 and PL/SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:11
L44	39	39 and trigger	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:16
L45	7073	((SQL adj6 (command or statement or clause)) or (select adj6 (statement or command or SQL or clause))) same ((data adj (base or source)) or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:14
L46	25	(PL/SQL and array) and (((directed or dependency) adj2 graph))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:15
L47	16	46 and trigger	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:16

## EAST Search History

L48	2	1 and fir\$6 near4 trigger	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:17
L49	10	("5586328" or "6199063" or "5926819" or "6311216" or "5805804").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 07:17